## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

| 1  | 1. (Currently amended) A method for allocating computer system                       |
|----|--|
| 2  | resources between concurrently executing workloads, comprising:                      |
| 3  | establishing a first resource pool that specifies requirements for each of a         |
| 4  | plurality of different computer system resources, wherein the plurality of different |
| 5  | computer system resources are components of a single computer system, and            |
| 6  | wherein establishing the first resource pool involves establishing minimum size      |
| 7  | and maximum size requirements for a given resource that can be assigned to the       |
| 8  | first resource pool;   |
| 9  | allocating the plurality of different computer system resources to one or            |
| 10 | more resource pools, including the first resource pool, to create a resource         |
| 11 | allocation, wherein requirements of the first resource pool are satisfied, wherein   |
| 12 | prior to allocating the plurality of different computer system resources, the method |
| 13 | further comprises:   |
| 14 | verifying that collective requirements of the one or more                            |
| 15 | resource pools can be satisfied, and   |
| 16 | if the collective requirements cannot be satisfied, signaling                        |
| 17 | an error condition; and  |
| 18 | wherein resources allocated to the first resource pool can change over               |
| 19 | time; and  |

| 20 | binding a first process to the first resource pool, so that the first process       |
|----|---|
| 21 | has access to the plurality of different computer system resources allocated to the |
| 22 | first resource pool; and  |
| 23 | storing a representation of the resource allocation to non-volatile storage         |
| 24 | so that the resource allocation can be reused after a machine failure.              |
| l  |   |
| 1  | 2. (Original) The method of claim 1, wherein allocating the plurality of            |
| 2  | different computer system resources to one or more resource pools involves:         |
| 3  | partitioning each of the plurality of different computer system resources           |
| 4  | into one or more partitions, wherein a first partition is associated with a first   |
| 5  | resource and a second partition is associated with a second resource;               |
| 6  | allocating the first partition to a single resource pool, so that only              |
| 7  | processes associated with the single resource pool can access the first partition;  |
| 8  | and   |
| 9  | allocating the second partition to multiple resource pools so that processes        |
| 10 | associated with the multiple resource pools can share the second partition.         |
|    |   |
| 1  | 3 (Canceled).   |
|    |   |
| 1  | 4. (Original) The method of claim 1, wherein establishing the first                 |
| 2  | resource pool involves selecting a file containing a representation of the first    |
| 3  | resource pool from a plurality of possible files.                                   |
|    |   |
| 1  | 5 (Canceled).   |
|    |   |
| 1  | 6. (Currently amended) The method of claim 5 claim 1, wherein storing               |
| 2  | the representation of the resource allocation involves storing a representation of  |
| 3  | each of the one or more resource pools along with associated resources.             |

| 1 | 7. (Currently amended) The method of claim 5 claim 1, wherein storing                |
|---|--|
| 2 | the representation of the resource allocation involves storing an Extensible         |
| 3 | Markup Language (XML) representation of the resource allocation.                     |
|   |  |
| 1 | 8. (Original) The method of claim 1,   |
| 2 | wherein the first resource pool is associated with a first project; and              |
| 3 | wherein the first process is one of a plurality of processes associated with         |
| 4 | the first project.   |
|   |  |
| 1 | 9 (Canceled).  |
| 1 | 10. (Original) The method of claim 1, further comprising dynamically                 |
| 2 | adjusting the resource allocation during system execution.                           |
| _ | adjusting the resource anotation during system execution.                            |
| 1 | 11. (Original) The method of claim 1, wherein the plurality of different             |
| 2 | computer system resources can include:   |
| 3 | central processing units;  |
| 4 | semiconductor memory;  |
| 5 | swap space; and  |
| 6 | networking resources.  |
|   |  |
| 1 | 12. (Currently amended) A computer-readable storage medium storing                   |
| 2 | instructions that when are executed by a computer eause to cause the computer to     |
| 3 | perform a method for allocating computer system resources between concurrently       |
| 4 | executing workloads, the method comprising:  |
| 5 | establishing a first resource pool that specifies requirements for each of a         |
| 6 | plurality of different computer system resources, wherein the plurality of different |
| 7 | computer system resources are components of a single computer system, and            |

| 8  | wherein establishing the first resource pool involves establishing minimum size      |
|----|--|
| 9  | and maximum size requirements for a given resource that can be assigned to the       |
| 10 | first resource pool;   |
| 11 | allocating the plurality of different computer system resources to one or            |
| 12 | more resource pools, including the first resource pool, to create a resource         |
| 13 | allocation, wherein requirements of the first resource pool are satisfied, wherein   |
| 14 | prior to allocating the plurality of different computer system resources, the method |
| 15 | further comprises:   |
| 16 | verifying that collective requirements of the one or more                            |
| 17 | resource pools can be satisfied, and   |
| 18 | if the collective requirements cannot be satisfied, signaling                        |
| 19 | an error condition; and  |
| 20 | wherein resources allocated to the first resource pool can change over               |
| 21 | time; and  |
| 22 | binding a first process to the first resource pool, so that the first process        |
| 23 | has access to the plurality of different computer system resources allocated to the  |
| 24 | first resource pool; and   |
| 25 | storing a representation of the resource allocation to non-volatile storage          |
| 26 | so that the resource allocation can be reused after a machine failure.               |
|    |  |
| 1  | 13. (Original) The computer-readable storage medium of claim 12,                     |
| 2  | wherein allocating the plurality of different computer system resources to one or    |
| 3  | more resource pools involves:  |
| 4  | partitioning each of the plurality of different computer system resources            |
| 5  | into one or more partitions, wherein a first partition is associated with a first    |
| 6  | resource and a second partition is associated with a second resource;                |

| 7  | allocating the first partition to a single resource pool, so that only              |
|----|---|
| 8  | processes associated with the single resource pool can access the first partition;  |
| 9  | and   |
| 10 | allocating the second partition to multiple resource pools so that processes        |
| 11 | associated with the multiple resource pools can share the second partition.         |
| 1  | 14 (Canceled).  |
| 1  | 15. (Original) The computer-readable storage medium of claim 12,                    |
| 2  | wherein establishing the first resource pool involves selecting a file containing a |
| 3  | representation of the first resource pool from a plurality of possible files.       |
| 1  | 16 (Canceled).  |
| 1  | 17. (Currently amended) The computer-readable storage medium of-claim               |
| 2  | 16 claim 12, wherein storing the representation of the resource allocation involves |
| 3  | storing a representation of each of the one or more resource pools along with       |
| 4  | associated resources.   |
| 1  | 18. (Currently amended) The computer-readable storage medium of-claim               |
| 2  | 16 claim 12, wherein storing the representation of the resource allocation involves |
| 3  | storing an Extensible Markup Language (XML) representation of the resource          |
| 4  | allocation.   |
| 1  | 19. (Original) The computer-readable storage medium of claim 12,                    |
| 2  | wherein the first resource pool is associated with a first project; and             |
| 3  | wherein the first process is one of a plurality of processes associated with        |
| 4  | the first project.  |

| 1  | 20 (Canceled).   |
|----|--|
| 1  | 21. (Original) The computer-readable storage medium of claim 12,                   |
| 2  | wherein the method further comprises dynamically adjusting the resource            |
| 3  | allocation during system execution.  |
| 1  | 22. (Original) The computer-readable storage medium of claim 12,                   |
| 2  | wherein the plurality of different computer system resources can include:          |
| 3  | central processing units;  |
| 4  | semiconductor memory;  |
| 5  | swap space; and  |
| 6  | networking resources.  |
| 1  | 23. (Currently amended) An apparatus that allocates computer system                |
| 2  | resources between concurrently executing workloads, comprising:                    |
| 3  | an establishment mechanism that is configured to establish a first resource        |
| 4  | pool that specifies requirements for each of a plurality of different computer     |
| 5  | system resources, wherein the plurality of different computer system resources are |
| 6  | components of a single computer system, and wherein the establishment              |
| 7  | mechanism is configured to establish minimum size and maximum size                 |
| 8  | requirements for a given resource that can be assigned to the first resource pool; |
| 9  | an allocation mechanism that is configured to allocate the plurality of            |
| 10 | different computer system resources to one or more resource pools, including the   |
| 11 | first resource pool, to create a resource allocation, wherein requirements of the  |
| 12 | first resource pool are satisfied, and wherein resources allocated to the first    |

a verification mechanism that is configured to verify that collective

requirements of the one or more resource pools can be satisfied;

resource pool can change over time;

13

14

15

| 10 | wherein if the collective requirements cannot be satisfied, the verification          |
|----|---|
| 17 | mechanism is configured to signal an error condition; and                             |
| 18 | a binding mechanism that is configured to bind a first process to the first           |
| 19 | resource pool, so that the first process has access to the plurality of different     |
| 20 | computer system resources allocated to the first resource pool; and                   |
| 21 | an archiving mechanism that is configured to store a representation of the            |
| 22 | resource allocation to non-volatile storage so that the resource allocation can be    |
| 23 | reused after a machine failure.   |
|    |   |
| 1  | 24. (Original) The apparatus of claim 23, wherein the allocation                      |
| 2  | mechanism is configured to:   |
| 3  | partition each of the plurality of different computer system resources into           |
| 4  | one or more partitions, wherein a first partition is associated with a first resource |
| 5  | and a second partition is associated with a second resource;                          |
| 6  | allocate the first partition to a single resource pool, so that only processes        |
| 7  | associated with the single resource pool can access the first partition; and to       |
| 8  | allocate the second partition to multiple resource pools so that processes            |
| 9  | associated with the multiple resource pools can share the second partition.           |
| 1  | 25 (Canceled).  |
| 1  | 26. (Original) The apparatus of claim 23, wherein the establishment                   |
| 2  | mechanism is configured to select a file containing a representation of the first     |
| 3  | resource pool from a plurality of possible files.                                     |
| 1  | 27 (Canceled).  |

| 1 |   | 28. (Currently amended) The apparatus of-claim 27 claim 23, wherein the           |
|---|---|---|
| 2 | ı | archiving mechanism is configured to store a representation of each of the one or |
| 3 |   | more resource pools along with associated resources.                              |
| 1 |   | 29. (Currently amended) The apparatus of-claim 27 claim 23, wherein the           |
| 2 | • | archiving mechanism is configured to store an Extensible Markup Language          |
| 3 |   | (XML) representation of the resource allocation.                                  |
| 1 |   | 30. (Original) The apparatus of claim 23,   |
| 2 |   | wherein the first resource pool is associated with a first project; and           |
| 3 |   | wherein the first process is one of a plurality of processes associated with      |
| 4 |   | the first project.  |
| 1 |   | 31 (Canceled).  |
| 1 |   | 32. (Original) The apparatus of claim 23, further comprising an adjustment        |
| 2 |   | mechanism that is configured to dynamically adjust the resource allocation during |
| 3 |   | system execution.   |
| 1 |   | 33. (Original) The apparatus of claim 23, wherein the plurality of different      |
| 2 |   | computer system resources can include:  |
| 3 |   | central processing units;   |
| 4 |   | semiconductor memory;   |
| 5 |   | swap space; and   |
| 6 |   | networking resources.   |